



BS EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

ALPINE WINDOW & DOOR SYSTEMS LIMITED

of

Unit 1, Crank Mills,
New Bank Street, Morley,
Leeds
West Yorkshire
LS27 8NT

HAVE CONFORMED WITH EN 14351-1:2006 + A1:2010 ANNEX ZA

FOR

CASEMENT, TILT & TURN, SINGLE, DOUBLE EXIT DOORS, BI-FOLDING & INLINE SLIDING DOORS INTENDED TO BE
USED IN DOMESTIC AND COMMERCIAL LOCATIONS

INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION CONTROL COMPLYING WITH EN
14351-1:2006 + A1:2010 ANNEX ZA

PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8

THERMAL TRANSMITTANCE - Clause 4.12

ABILITY TO RELEASE - n/a.

Signed:.....

Date:.....

Position:.....



ALPINE WINDOW & DOOR SYSTEMS LIMITED

Unit 1, Crank Mills,
New Bank Street, Morley,
Leeds, West Yorkshire.

LS27 8NT

16

EN 14351-1:2006 + A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: AL-UK Metal Windows and Doors with thermal break

Characteristics	Declared Value	Notified Body & Test Report Number
Dangerous Substances	None	
Thermal Transmittance	$\leq 4.7W/(m^2K)$	
Load Bearing Capacity of Safety Devices	Passed	
Resistance to Wind Load	npd	
Resistance to snow and permanent load	npd	
Reaction to fire	npd	
External Fire Performance	npd	
Water tightness	npd	
Impact Resistance	npd	
Radiation Properties	npd	
Acoustic Performance	npd	
Air Permeability	npd	
Ability to Release	n/a	n/a

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed:.....

Date:.....

Position:.....



ALPINE WINDOW & DOOR SYSTEMS LIMITED

Unit 1, Crank Mills,
New Bank Street, Morley,
Leeds, West Yorkshire.

LS27 8NT

16

EN 14351-1:A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: Synseal Legend 70 PVCu Windows and Doors

Characteristics	Declared Value	Notified Body & Test Report Number
Dangerous Substances	None	
Thermal Transmittance	$\leq 3.4W/(m^2K)$	
Load Bearing Capacity of Safety Devices	Passed	
Resistance to Wind Load	npd	
Resistance to snow and permanent load	npd	
Reaction to fire	npd	
External Fire Performance	npd	
Water tightness	npd	
Impact Resistance	npd	
Radiation Properties	npd	
Acoustic Performance	npd	
Air Permeability	npd	
Ability to Release	n/a	

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed:.....

Date:.....

Position:.....